








DECKING

Parkside decking is the ultimate material for Aussie decks.

Our decking products are grown and manufactured in Australia for Australian conditions. Our decking is certified by internationally recognised PEFC - denoting that all products are sourced from sustainably managed forests.



SPECIES

QLD Spotted Gum (Hardness 11)

Grey Ironbark (Hardness 14)

Red Ironbark (Hardness 14)

QLD Reds (Hardness 12)

Mixed Blends (Hardness 10.5)

Karri (Hardness 9.0)

Jarrah (Hardness 8.5)

Hardness refers to the Janka rating which is the hardness level given to each species. The higher the number, the greater the hardness.



GRADES

Select | Standard | Feature



SIZES AND LENGTHS

QLD Spotted Gum · Grey Ironbark · Red Ironbark · Mixed Blends

65 | 86 | 135 x 19mm

135 x 32mm

140 x 25mm

Karri · Jarrah

65 | 86 | 135 x 19mm

Random packs 1.5m to 5.7m

Pack Sizes

86x19 570mm x 54mm x 54mm @ 850kg

135x19 570mm x 54mm x 54mm @ 950kg

KEY BENEFITS

- Parkside decking adds beauty, richness and depth to any commercial or residential application.
- Parkside decking heartwood is naturally insect and decay resistant, and every piece of our QLD Spotted Gum, Grey & Red Ironbark and Mixed Blends are treated with an ACQ H3 treatment, ensuring any sapwood that is used is also fully durable.



CERTIFICATION

Manufactured to comply with AS 2796

Fire rated in accordance with AS 3959-2009 and BAL 19 as a minimum

QLD Spotted Gum and Ironbark Red are fire rated to BAL 29

Karri and Jarrah can achieve BAL 29 when used in conjunction with non-combustible wall cladding and enclosed subfloor

Chain of Custody as per AS 4707



DURABILITY

QLD Spotted Gum · Grey Ironbark · Red Ironbark · Mixed Blends

Class 1 Above Ground

Silvertop Ash · Karri · Jarrah

Class 2 Above Ground

QLD Spotted Gum · Grey Ironbark · Red Ironbark · Mixed Blends

ACQ H3 Treatment



**PARKSIDE
TIMBER**



**Responsible
Wood**
RW/1-31-57